



**Better FTTx,
Better Life.**

FCST-FBM01

Easy Set Fiber Blowing Machine

-For FTTH

M:+86 18720624696

Email:sales@fcst.com

Tel:+86-21-38726791 38726792

Web:www.fcst.com www.micro-duct.com



Product Overview

FCST-FBM01 Easy Set Fiber Blowing Machine is paired with a dedicated drill/drive unit-spares battery included and a customized small stainless steel tripod. The blowing unit is designed to build the last sections of the FTTH network. Delivered with special bushings facilitating blowing fiber optic cables from Φ 0.5~6 mm diameter.

Product Specifications

Construction	Description
Micro Cable Diameter	Φ 0.5~6 mm
Micro Tube Diameter	Φ 5,7,10,12,14,16 mm
Blowing Distance / Max	700m
Blowing Speed / Max	60 m/min
Work Pressure / Max	15 bar
Dimensions of The Unit(L*W*H)	260*100*140mm (10.236"x3.937"x5.512") weight approx 2kg
Dimensions of The Transport Box	465*400*155mm (weight approx 8kg)
Available Accessories	air hose set of gaskets additional tools micro duct cutter set of bushings and micro duct connectors spare wheels with removable rubber bands
Required Compressor's Efficiency	micro ducts up till 8mm:0.8m ³ /min micro ducts between 8-12mm:1.0m ³ /min micro ducts between 12-15mm:1.5m ³ /min
Warranty Period	36 Months Warranty

Accessories Included Inside The Set

- Tools.
- air hose.
- set of gaskets.
- micro duct cutter.
- set of bushings and micro duct connectors.
- spare wheels with removable rubber bands.



Construction Suggestions (Optional)

1.Cable Guiding Heads (Optional)

Cable Guiding Heads		Cable guiding heads are screwed on to the end of the cable to reduce friction during cable blowing. Constructed of corrosion resistant brass and made for repeated use.
---------------------	---	---

2.Air Compressor (Optional)

Compressor for blowing machines. Necessary for proper operation. It gives you the opportunity to achieve the maximum blowing range.

	
Compressor ATMOS PB82	<u>Compressor KAESER M17</u>


3.Cable Blowing Lubricant (Optional)

Micro Cable Blowing Lubricant reduces friction when blowing micro cables into micro-tubes. Increases the blowing range.Capacity 350ml、1000ml、 25L、 5gal.

			
350ML	1000ML	25L	5GAL



Fiber Cable Solution Technology Co.,Ltd.



Overseas Agency

 www.fcst.com www.micro-duct.com



FCST - Better FTTx, Better Life.

We offer 4 solutions

- FTTH ODN Solution
- Underground Cable Installation Solution
- Aerial Cable Installation Solution
- Fiber Tools & Test Solution

As a FTTx solution supplier, we can also do ODM according to project. We will continue to innovate and contribute more to the construction of the global optical fiber network.

Rm402 block A Watts gallop tower No.2816 YiXian Rd, BaoShan District, Shanghai 200441.

Tel:+86-21-38726791 +86-21-38726792 Fax:+86-21-38726793

M:+86 18720624696 Email:sales@fcst.com